

WEST

Freeform Search

Database:

- US Patents Full-Text Database
- US Pre-Grant Publication Full-Text Database
- JPO Abstracts Database
- EPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

09/6981 451
6/26/01
WEST

Term:

Display: Documents in Display Format: CIT Starting with Number Generate: Hit List Hit Count Image

Search History

Today's Date: 6/26/2001

| <u>DB Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|----------------|---|------------------|-----------------|
| JPAB,EPAB,DWPI | I42 and I43 | 27 | <u>L44</u> |
| JPAB,EPAB,DWPI | cosmetic or skin care or personal care or (skin adj 3 (tone or texture or \$2pigment\$5 or elasticity or firmness or ageing or oilness or shine)) or cellulite or acne or sunburn or sun burn | 72315 | <u>L43</u> |
| JPAB,EPAB,DWPI | (soymilk or soy milk or soybean milk or soy bean milk or soy\$4 powder or soy bean powder or ((legume or leguminous) same (non-denatured or milk or powder))) | 3086 | <u>L42</u> |
| PGPB | (soymilk or soy milk or soybean milk or soy bean milk or soy\$4 powder or soy bean powder or ((legume or leguminous) same (non-denatured or milk or powder))) | 2 | <u>L41</u> |
| USPT | (soymilk or soy milk or soybean milk or soy bean milk or soy\$4 powder or soy bean powder or ((legume or leguminous) same (non-denatured or milk or powder))) | 1409 | <u>L40</u> |
| USPT | I38 not I36 | 26 | <u>L39</u> |

| | | | |
|------|--|--------|------------|
| USPT | l2 and ((legume or leguminous) same (non-denatured or milk or powder)) | 29 | <u>L38</u> |
| USPT | l36 not l35 not l34 not l31 | 36 | <u>L37</u> |
| USPT | l2 and (soymilk or soy milk or soybean milk or soy bean milk or soy\$4 powder or soy bean powder) | 57 | <u>L36</u> |
| USPT | l32 and (soymilk or soy milk or soybean milk or soy bean milk or soy\$4 powder or soy bean powder) | 21 | <u>L35</u> |
| USPT | l33 not l31 | 11 | <u>L34</u> |
| USPT | l30 and retinol | 11 | <u>L33</u> |
| USPT | l30 and (antioxidant or retinol or bht or butyl\$4 hydroxytoluene) | 80 | <u>L32</u> |
| USPT | l30 and (\$7paraben and (bht or butyl\$4 hydroxytoluene) and \$2edta) | 5 | <u>L31</u> |
| USPT | l29 and l2 | 305 | <u>L30</u> |
| USPT | soymilk or soy milk or soybean milk or soy bean milk or soy\$4 flour or soy\$4 powder or soy bean powder or soy bean flour | 3664 | <u>L29</u> |
| USPT | l26 not (soy bean oil) | 1282 | <u>L28</u> |
| USPT | l25 not (soy bean oil) | 19629 | <u>L27</u> |
| USPT | l25 and l2 | 1362 | <u>L26</u> |
| USPT | (soymilk or soy milk or soybean or soy bean or soy flour or soy powder) not (soy\$4 oil) | 20657 | <u>L25</u> |
| USPT | l23 not (soy\$4 oil) | 921 | <u>L24</u> |
| USPT | (soymilk or soy milk or soybean or soy bean or soy flour or soy powder).ab. | 1341 | <u>L23</u> |
| USPT | l13 and cellulite | 0 | <u>L22</u> |
| USPT | l13 and caffeine | 0 | <u>L21</u> |
| USPT | l19 and caffeine | 0 | <u>L20</u> |
| USPT | l14 or l15 or l16 | 27 | <u>L19</u> |
| USPT | (l14 or l15 or l16) | 409853 | <u>L18</u> |
| USPT | (l14 or l15 or l16) and caffeine | 2855 | <u>L17</u> |
| USPT | l13 and (preservative or \$7paraben or phenonip or phenoxyethanol) | 12 | <u>L16</u> |
| USPT | l13 and (((chelating or complexing or complex forming) adj3 agent) or chelate or \$2edta or iniferine or lactoferrin or citric acid) | 11 | <u>L15</u> |
| USPT | l13 and (antioxidant or retinol or bht or butyl\$4 hydroxytoluene) | 12 | <u>L14</u> |
| USPT | l12 and l2 | 108 | <u>L13</u> |
| USPT | (soymilk or soy milk or soybean or soy bean).ab. | 1304 | <u>L12</u> |
| USPT | l10 and cosmetic | 603 | <u>L11</u> |

| | | | |
|------|---|-------|------------|
| USPT | 17 and 18 and 19 | 632 | <u>L10</u> |
| USPT | 16 and (soymilk or soy milk or soybean or soy bean) | 1517 | <u>L9</u> |
| USPT | 15 and (soymilk or soy milk or soybean or soy bean) | 1585 | <u>L8</u> |
| USPT | 14 and (soymilk or soy milk or soybean or soy bean) | 1204 | <u>L7</u> |
| USPT | 13 and (preservative or \$7paraben or phenonip or phenoxyethanol) | 2394 | <u>L6</u> |
| USPT | 13 and (((chelating or complexing or complex forming) adj3 agent) or chelate or \$2edta or imferine or lactoferrin or citric acid) | 2396 | <u>L5</u> |
| USPT | 13 and (antioxidant or retinol or bht or butyl\$4 hydroxytoluene) | 1726 | <u>L4</u> |
| USPT | 12 and 11 | 5037 | <u>L3</u> |
| USPT | (424/401)!.CCLS. or 424/62.ccls. or 424/59.ccls. or cosmetic or skin care or personal care or (skin adj 3 (tone or texture or \$2pigment\$5 or elasticity or firmness or ageing or oilness or shine)) or cellulite or acne or sunburn or sun burn | 40235 | <u>L2</u> |
| USPT | soy\$4 | 47368 | <u>L1</u> |

WEST

 Generate Collection

L44: Entry 5 of 27

File: JPAB

Mar 25, 1997

PUB-NO: JP409077638A
DOCUMENT-IDENTIFIER: JP 09077638 A
TITLE: FOUNDATION FOR COSMETIC

PUBN-DATE: March 25, 1997

INVENTOR-INFORMATION:

| NAME | COUNTRY |
|------------------|---------|
| SUZUKI, MASAHISA | |

ASSIGNEE-INFORMATION:

| NAME | COUNTRY |
|----------------------|---------|
| ART BEAUTY CLINIC KK | N/A |

APPL-NO: JP07239394
APPL-DATE: September 19, 1995

INT-CL (IPC): A61K 7/02; A61K 7/00; A61K 7/48

ABSTRACT:

PROBLEM TO BE SOLVED: To obtain a foundation for cosmetics, capable of controlling color, tone of skin, exhibiting whitening and humidifying effects and having high safety by using a natural component extracted from a plant known as a Chinese medicine from ancient times.

SOLUTION: This foundation for cosmetics is obtained by using an extraction component from KANZOU (Glycyrrhizae Radix) which is oil-soluble extract extracted from Glycyrrhiza glabra of a leguminous plant known as a Chinese medicine by ordinary method. In the foundation for cosmetics, proper amount of powder such as coloring pigment is blended with oil content, an emulsifier, a perfume, a thickener and other additives, etc., as components other than the active ingredient. Further, phospholipid such as lyssolecithin and a thickener polymer such as quince seed are preferably added thereto in addition to the KANZOU extract ingredient. Refreshing touch feeling free from tackiness is given to users when the quince seed is used for foundation. The blend amount of the quince seed is about 5-10wt.%. The effect for promoting percutaneous absorption of active ingredients is obtained by including the phospholipid therein.

COPYRIGHT: (C)1997,JPO

first art

WEST

 Generate Collection

L44: Entry 23 of 27

File: DWPI

Sep 24, 1998

DERWENT-ACC-NO: 1991-203617

DERWENT-WEEK: 199843

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Skin-whitening cosmetic material - contains a soybean milk fermented by lactic acid bacteria e.g. streptococcus thermophilus

PATENT-ASSIGNEE: SANSHO PHARM CO LTD (SANP), YASUKOCHI SOGO SHOKUHIN (YASUN)

PRIORITY-DATA: 1989JP-0263746 (October 9, 1989)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---------------|--------------------|----------|-------|------------|
| JP 2804312 B2 | September 24, 1998 | N/A | 004 | A61K007/48 |
| JP 03127713 A | May 30, 1991 | N/A | 004 | N/A |

APPLICATION-DATA:

| PUB-NO | APPL-DATE | APPL-NO | DESCRIPTOR |
|--------------|-----------------|----------------|----------------|
| JP 2804312B2 | October 9, 1989 | 1989JP-0263746 | N/A |
| JP 2804312B2 | | JP 3127713 | Previous Publ. |
| JP03127713A | October 9, 1989 | 1989JP-0263746 | N/A |

INT-CL (IPC): A61K 7/00; A61K 7/48

ABSTRACTED-PUB-NO: JP03127713A

BASIC-ABSTRACT:

Cosmetic material contains a soybean milk fermented by lactic acid bacteria. The bacteria are e.g. Streptococcus thermophilus, Streptococcus lactis, Lactobacillus delbrueckii, Lactobacillus bulgaricus, Lactobacillus casei, Lactobacillus acidophilus and/or Lactobacillus thermophilus. Content of the effective ingredients is e.g. 0.01-100 wt.%.

USE - For providing a safe material having a skin-whitening effect.

ABSTRACTED-PUB-NO: JP03127713A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/0

put on

DERWENT-CLASS: D16 D21

CPI-CODES: D08-B09A;

WEST **Generate Collection**

L44: Entry 20 of 27

File: DWPI

Oct 10, 1992

DERWENT-ACC-NO: 1993-262369

DERWENT-WEEK: 199333

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Prepn. of soybean powder for foods, cosmetics etc. - by heating and peeling selected soybeans, dividing the grain in two, peeling again, steaming, drying and pulverising

INVENTOR: LEE E; SONG, W

PATENT-ASSIGNEE: LEE E (LEEEI), SONG W (SONGI)

PRIORITY-DATA: 1990KR-0012407 (August 10, 1990)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|--------------|------------------|----------|-------|------------|
| KR 9208853 B | October 10, 1992 | N/A | 000 | A23L001/20 |

APPLICATION-DATA:

| PUB-NO | APPL-DATE | APPL-NO | DESCRIPTOR |
|-------------|-----------------|----------------|------------|
| KR 9208853B | August 10, 1990 | 1990KR-0012407 | N/A |

INT-CL (IPC): A23L 1/20

ABSTRACTED-PUB-NO: KR 9208853B

BASIC-ABSTRACT:

Soybean powder is prep'd. by (a) selecting soybean from tank with selector, (b) heating the selected soybean and sepg. the grain from the peel in 1st peeler, (b) cutting the obtd. grain into two in cutter and moving into separator, (d) peeling the grain in 2nd peeler, (e) steaming the peeled soybean grain, drying and crude pulverising, and (f) drying the obtd. powder and re-pulverising to obtain the final product (300 mesh).

USE - The obtd. soybean powder is useful for the prodn. of food, cosmetic, etc.

ABSTRACTED-PUB-NO: KR 9208853B

EQUIVALENT-ABSTRACTS:

DERWENT-CLASS: D13 D21

CPI-CODES: D03-H01L; D08-B;

*perf act**103
U. 1-9, 11, 13-23, 25**24 (caf + ret)*

WEST

L44: Entry 26 of 27

File: DWPI

Feb 17, 1987

DERWENT-ACC-NO: 1987-084154

DERWENT-WEEK: 198712

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Cosmetic for skin, hair, etc. - obtd. by compounding soybean milk and cosmetic component

PATENT-ASSIGNEE: KASHIWA KAGAKU KOGYO KK (KASHN)

PRIORITY-DATA: 1985JP-0122134 (June 5, 1985)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---------------|-------------------|----------|-------|----------|
| JP 62036304 A | February 17, 1987 | N/A | 007 | N/A |

APPLICATION-DATA:

| PUB-NO | APPL-DATE | APPL-NO | DESCRIPTOR |
|-------------|--------------|----------------|------------|
| JP62036304A | June 5, 1985 | 1985JP-0122134 | N/A |

INT-CL (IPC): A61K 7/00

ABSTRACTED-PUB-NO: JP62036304A

BASIC-ABSTRACT:

Cosmetic component and soybean milk, i.e. glycine max. Merrill as specific component, are compounded, 2 wt.% or more of surfactant against solid material in the milk is contained.

USE - The material is useful as comsetic for skin and hair, bathing agent, soap, etc.. It conditions skin and hair.

ABSTRACTED-PUB-NO: JP62036304A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/1

DERWENT-CLASS: D21

CPI-CODES: D08-B03; D08-B09A;

perf ab
103
U. 1,3-10,12-23,
25
24 (cat + nt)